

Helsinki, Finland November 17 & 18, 2016

RIMMF Training
For Kiviathon Registrants
live, online
November 3, 2016



Developed by: Deborah Fritz, TMQ www.marcofquality.com

Outline of the Day:

TOPICS

Registration

Introductions, Outline of the day, and Setup (approx. 20 min.)

Brief review of RIMMF functionality (approx. 35 min.)

Rimmfing Kivi resources + morning break (2.5 hr.)

Everybody create WEM for "Liljecronas hem"

Lunch (1 hr.)

Discussion (approx. 1 hr.)

More rimmfing (45 min.)

RSC presentation (50 min.)

Export RIMMF data: Instructions will be in the handout


Next Steps (approx. 10 min.)


Table Topics

- 1. Table 1: book-like materials, the team leader Kiti Vilkki-Eriksson
- Table 2: mixed materials (mainly audio-visual materials and books), the team leader Minna Kantanen
- 3. Table 3: music materials, the team leader Tapani Moisio
- 4. Table 4: mixed materials, the team leader Ulla Ikäheimo
- 5. Table 5: book-like materials, the team leader Ville Huhtala
- 6. Table 6: mixed materials, the team leader Katri Kananen (only the first day)

Examples

The Library will be providing examples of Kivi resources





About RIMMF3 RDA in Many Metadata Formats—Version 3

http://www.marcofquality.com/wiki/rimmf3/doku.php?id=licensing




RIMMF is designed to help catalogers **see** what RDA is trying to do:


- so that we can change the way we think about cataloging
- and to help us all understand the RDA/FRBR model, and how different it is to how we currently think.


http://www.rdaregistry.info/rimmf/

The RDA Model

RIMMF is designed to allow you to enter data for each RDA entity (WEMI, PFC) and then link the entity data appropriately









RIMMF data creation

RDA Toolkit



RIMMF Importing



MARC21 record sources

LIBRIS

http://libris.kb.se/

Catálogo BNE

http://catalogo.bne.es/uhtbin/webcat


National Library of Scotland:

http://main-cat.nls.uk/vwebv/searchAdvanced

Yale University Library:

http://orbis.library.yale.edu/vwebv/

RIMMF Export to MARC



MARC Report 2.45 (2.4.5.408+) ©1999-2015, TMQ, Inc.

Multilingual support in RIMMF

Elements Controlled terms E -- apparain00000069.txt -- Kivi, Aleksis, 1834-1872. Seitsemän veljestä. Text X File Edit View Options Windows Help Element Label Text RDA Rule AAP ■ Expression RIMMF identifier o gpgrain00000069 no rule Kivi, Aleksis, 1834-1872. Seitsemän veljestä. Authorized access point o 6.27.3 Text Source consulted Seitsemän weljestä, 1870-1873 5.8 1870 V Date of expression 6.10 +6.9 **~** Content type Text Computer program Language of expression 6.11 Notated movement Contributor x Notated music 20.2+ Performed music Contributor x 20.2+ Sounds Spoken word Contributor x 20.2+ Still image Work expressed Tactile image 17.6+ ~ Tactile notated movement Tactile notated music Manifestation of expression 17.9+ Tactile text Tactile three-dimensional form WEMI Links Three-dimensional form W R-Tree Three-dimensional moving image

Multilingual support in RIMMF

Elements Controlled terms ■ E -- gpgrain00000069.txt -- Kivi, Aleksis, 1834-1872. Seitsemän veliestä. Teksti × File Edit View Options Windows Help Element Label Text RDA Rule AAP ■ Expression RIMMF identifier o gpgrain00000069 no rule Kivi, Aleksis, 1834-1872. Seitsemän veljestä. Authorized access point o 6.27.3 Teksti Seitsemän weljestä, 1870-1873 Source consulted 5.8 1870 🗸 Date of expression 6.10 +teksti 6.9 **/** Content type kartografinen liikkuva kuva Language of expression 6.11 kartografinen taktiili kolmiulotteinen muoto Contributor x kartografinen taktiili kuva 20.2+ kolmiulotteinen liikkuva kuva Contributor x 20.2+ kolmiulotteinen muoto liikenotaatio Contributor x 20.2+ nuottikirjoitus Work expressed puhe 17.6+ ~ stillkuva taktiili kolmiulotteinen muoto Manifestation of expression 17.9+ taktiili kuva taktiili liikenotaatio taktiili nuottikirjoitus WEMI Links taktiili teksti W R-Tree

teksti

Selma Lagerlöf Build W-E-M:

Manifestation Selma Lagerlöf. Doubleday, Page &

Company. 1917. Volume

Expression Maule, Harry E. (Edward), 1886-

Selma Lagerlöf. Text. English

Work Maule, Harry E. (Edward), 1886-

Selma Lagerlöf

Person Maule, Harry E. (Edward), 1886-

Person Lagerlöf, Selma, 1858-1940

SELMA LAGERLÖF

THE WOMAN, HER WORK, HER MESSAGE

Including liberal quotation from Dr. Lagerlöf's own autobiographical writings and from some of her critics



BY HARRY E. MAULE

DOUBLEDAY, PAGE & COMPANY GARDEN CITY 1917 NEW YORK

Selma Lagerlöf Build W-E-M:

Build WEM speeds up the process of creating Work, Expression, and Manifestation entity 'records' instead of the single Bib record we are used to making.

You will have to check the 'autofills' that RIMMF does for you.

For more details, see:

Using RIMMF. Tutorial #14, Create a Work, Expression, and Manifestation from scratch (Build WEM):

http://www.marcofquality.com/wiki/rimmf3/doku.php?id=detailstutorial14

Selma Lagerlöf—Digital reproduction Clone Manifestation

Selma Lagerhöf:

http://babel.hathitrust.org/cgi/pt?id=wu.89098579212;view=1up;seq=8

Cloning:

http://www.marcofquality.com/wiki/rimmf3/doku.php?id=menu:clonerecord

- Find a similar manifestation
- File >> Clone
- Decide whether to Keep or Remove relationships
- Select a template
- Make changes
- If you removed relationships, then link to Expression; or also clone Expression and link to new Expression

Selma Lagerlöf—Digital reproduction Clone Manifestation

Digital Reproductions:

- If the title page is an image of the original:
 - Transcribe the Title data from the image
 - you do not need a "Title from" note or a "Viewed on" note
 - Transcribe the Statement of responsibility relating to the title proper from the image
- For all other data, remember that you are describing the reproduction, not the original
- Remember that all online resources are considered published, so decide who published the online resource

Selma Lagerlöf—Digital reproduction Clone Manifestation

Digital Reproductions:

- If the title page is an image of the original:
 - Transcribe the Title data from the image
 - you do not need a "Title from" note or a "Viewed on" note
 - Transcribe the Statement of responsibility relating to the title proper from the image
- For all other data, remember that you are describing the reproduction, not the original
- Remember that all online resources are considered published, so decide who published the online resource

The Entity Index (EI)

- Displays the AAP (Authorized Access Points) for Works, Expressions, Persons, Families, and Corporate Bodies, or CK (Composite Keys) for Manifestations and Items
- Search box
- Sort by columns
- Open records
- Delete records
- Export records
- Open an R-Tree

For more details, see:

Main Menu: Tools Menu: Entity Index

http://www.marcofquality.com/wiki/rimmf3/doku.php?id=menu:entityindex

The Relationship Tree (R-Tree)

A visualization of how RDA entities related to one another

For more details, see:

Learn about: The 'R-Tree' (Relationship Tree)

http://www.marcofquality.com/wiki/rimmf3/doku.php?id=details:rtree

<F3>: Searching

Search the RIMMF User Guide:

The RIMMF Search & Retrieve Tool

http://www.marcofquality.com/wiki/rimmf3/doku.php?id=details:searchandretrieval

Searching the LC OPAC when the <F3> doesn't work well enough

The LC OPAC: http://catalog.loc.gov/ has more sophisticated searching than RIMMF offers.

Once you have an LCCN for a manifestation, you can return to <F3> to quickly import the record

Non <F3> Importing

Use 'drag and drop' to import MARC records that are exported as MARC from any database where such an export is possible.

LIBRIS:

http://libris.kb.se/

Catálogo BNE:

http://catalogo.bne.es/uhtbin/webcat

National Library of Scotland:

http://main-cat.nls.uk/vwebv/searchAdvanced

Yale University Library:

http://orbis.library.yale.edu/vwebv/

MARC Mapping

- Might be 85-90% for most records
- Not so good (yet) for non-print, or complex print records (e.g., parallel data)
- Make a note of MARC mapping issues

Importing using F3: The Import R-Tree

For this example (LCCN: 26026898)

- The Import R-Tree shows the AAPs of the entity data that will be imported, or produced or linked to by RIMMF when the MARC bibliographic record is imported.
- Translator, Work expressed, and Author are not ticked—indicating that
 the data for these entities are already in the EI (matched on AAP data
 only, at this time) and so the incoming data will be linked to data for
 these entities
- Expression is ticked, and has an asterisk, indicating that this data will be created by RIMMF (based on the linked Work data, and data imported from the MARC bibliographic record)
- Manifestation is ticked, indicating that data will be imported from the MARC bibliographic record

See also: Using RIMMF. Tutorial #12, Import a Bib record that has no NAF record for its Work or Expression:

http://www.marcofquality.com/wiki/rimmf3/doku.php?id=detailstutorial12

Importing using Drag and Drop: Exporting from LIBRIS

LIBRIS: http://libris.kb.se/

- Find a record
- Click <CITE> or <Skapa Referens>
- Choose Format: MARC-XML
- Save
- Drag the MARC-XML record from the saved folder to the RIMMF Main Menu
- The RIMMF Import R-Tree opens

Importing using Drag and Drop: The Import R-Tree

For this example (LIBRIS: La saga de Gösta Berling Slaby 2001)

- Work expressed, and Author are not ticked—indicating that the data for these entities are already in the EI (matched on AAP data only, at this time) and so the incoming data will be linked to data for these entities
- Translator and Expression are both ticked, and both have an asterisk, indicating that this data will be created by RIMMF
- Manifestation is ticked, indicating that data will be imported from the MARC bibliographic record


Export R-ball


When the rimmfing time is done:

- Open the Entity Index <Ctrl+E>
- Click the <Export> down arrow
 - Choose < Select all >
- Click the <Export> down arrow again
 - Choose < Zip (Rimmf, ie. R-ball) >
- Click < Export >
- Add your prefix before the filename provided, e.g., qpq_ei-export-150605.zip
 - □ Click <OK> <OK>
- Find the file on your Desktop
- Copy that file to the flash drive provided, and give it to your table coordinator or a coach

RIMMF version

Check that you have the most current RIMMF update







If not, download it from:

http://www.marcofquality.com/wiki/rimmf3

Set language & labels


- Main Menu >> Options
- Setup
- Set language and labels
- Choose Preferred language
- Click Update language data
- Tick Use language test package
- Save






Check for new translations

- Main Menu >> Options
- Setup
- Set language and labels
- Click Update language data
- Choose new language
- Save





Download the KiviBase_...r-ball

- At the RIMMF Main Menu, go to: Tools | Download web folder
 - Fnter:

http://www.rimmf.com/rbl/KiviBase-161015.zip

- OR choose it from the list provided
- Click Fetch
- Click <Yes> to add source records to your MARC folder
- Click <Yes> to switch to that data folder

The folder of RIMMF entity records and their Source MARC records will download and unzip and you can proceed to view and work with the records.

If you want to return to the folder another time, you will need to follow the 'Change data folder' instructions in the User Guide, and you will find the folder in \Documents\RIMMF3\imports\zip

Log in to Toolkit



Login to Toolkit Training Access:

Account ID:

Password:

In the handout

RIMMF Function Keys

While in a record, <Ctrl+Alt+K> displays the list of RIMMF **Function Key** definitions


```
RIMMF User Guide (www.rimmf.com)
-- gpg00010227.txt -- Biografia de Don Miguel de Cervi
                                                                      Copy focused element
                                                           F3
                                                                      RIMMF Search Tool
                                                           F4
                                                                      Append new element
Special keystrokes in RIMMF
                                                                      Relationship menu (right-click)
Ctrl + Tab
             Goto next open entity record
                                                           F6
                                                                      Delete text (in focused element)
Ctrl + A
            Save As ...
                                                           F7
                                                                      Display structured list of elements
Ctrl + E
            Show/Goto Entity Index
                                                           F8
                                                                      [TBA]
Ctrl + F
            Show/Hide Search bar
                                                           F9
Ctrl + M
                                                                      [TBA]
             Show MARC view of record
                                                           F10
                                                                      ITBA1
Ctrl + P
            Element property editor
                                                           F11
                                                                      Delete focused element
Ctrl + R
            Open Relationship Tree
                                                           F12
                                                                      Close all records in set
Ctrl + S
            Save record
                                                           Ctrl + F1
                                                                        Open all records in set
Ctrl + W
             Close record
                                                           Ctrl + F2
                                                                        RDA Record sets ...
Ctrl + Alt + A Expand/collapse all rows
                                                           Ctrl + F3
                                                                        List all records in set
Ctrl + Alt + B Restart 'Build WEM'
                                                           Ctrl + F4
                                                                        View all records in set as Text
Ctrl + Alt + C Show/Hide AAP Choice column
                                                           Ctrl + F5
                                                                        View all records in set as XML
Ctrl + Alt + D Diacritic menu
                                                                        View all records in set as RDF
                                                           Ctrl + F6
Ctrl + Alt + E Remove Empty elements from record
                                                           Ctrl + F7
                                                                        View WFMI Stack as Text
Ctrl + Alt + F Autosize columns to fit window
                                                           Ctrl + F8
                                                                        [TBA]
Ctrl + Alt + H. Switch focus to the main RIMME window
                                                           Ctrl + F9
                                                                        [TBA]
Ctrl + Alt + J Jump cursor to MARC mapping form
                                                           Ctrl + F10
                                                                        RDA-to-MARC Mapping options
Ctrl + Alt + K Show Keystroke list (this page)
                                                           Ctrl + F11
                                                                        Delete current record
Ctrl + Alt + L Show/Hide WEMI Links bar
                                                           Ctrl + F12
Ctrl + Alt + M Show/Hide MARC Mapping form
                                                           Shift + F1
                                                                        Paste Copyright symbol at cursor position
Ctrl + Alt + N Sort rows by RIMMF Element name
                                                           Shift + F2
                                                                        Paste Phonogram symbol at cursor position
Ctrl + Alt + O Clone the current record
                                                           Shift + F3
                                                                        Paste '[Place of publication not identified]'
Ctrl + Alt + P Send record to printer
                                                           Shift + F4
                                                                        Paste '[Publisher's name not identified]'
Ctrl + Alt + R Sort rows by RDA Rule
                                                           Shift + F5
                                                                        Paste '[Date of publication not identified]'
Ctrl + Alt + S Show source (if imported record)
                                                           Shift + F7
                                                                        Export record to MARC
Ctrl + Alt + T Open record in a (different) template
                                                           Shift + F8
                                                                        Send record to MARC Report
Ctrl + Alt + U Display record in RDF view
                                                           Shift + F9
                                                                         Export record to RDF
Ctrl + Alt + V Display record in OPAC view
                                                           Shift + F10
                                                                         Export record-set to RDF
Ctrl + Alt + W Wrap data in Text column
                                                           Shift + F11
                                                                         Export record to XmI
Ctrl + Alt + X Display record in XML view
                                                                         Reserved
                                                           Shift + F12
Ctrl + Alt + Z Delete the current record
                                                           Shift + Del
                                                                         Clear selected list term
```

Issues to remember

- Add more than core, especially relationships
- Make multiple manifestation data for different bindings
- Make new Expression data for added supplementary content or illustrations, and always add Expression PFC relationships
- Change a Contributor label to a more specific relationship
- Change an Author label to more appropriate relationship, if necessary
- Be sure that Date of Work and Date of Expression dates are correct
- Add relationship to Kivi and/or his works
- Give titles with initial articles as Preferred titles, then add them without initial articles as Variant titles and VAP
- Add translated titles as Variant titles and Work VAP, and then again as VAP to the Expression data to which they apply
- Make AAP unique
- Add Content Type and Language of Expression to all Expression AAPs

What's Next?

Practice!



Have Fun

