

Kenttien mappaukset Finnan toimijaindeksiin

Mappings of Fields from Different Authority Record Formats to Finna's Authority Index

At the moment, the authority index contains only agent authority records.

Formats in the index: EAC-CPF, MARC 21, Forward.

Mapping Table, draft

Core Fields	Description	Facet Field	Search	EAC-CPF	MARC 21	FORWARD (KAVI)
id	Unique identifier	yes	AlIFields	doc/control/recordId	003/001	AgentIdentifier/ IDValue
other id's (ISN, VIAF etc.)		yes		identity/entityId		
record_format	record format (used to load the appropriate record driver – prefixed with "SolrAuth" to create a service alias). <i>Added in release 5.0; prior to that, all authority records were assumed to be MARC.</i>			eac-cpf	marc21	forward
fullrecord	full authority record in raw form		AlIFields	record XML	record XML	record XML
marc_error	errors reported by the SolrMarc import tool					
allfields	content of all human-readable fields in the authority record, used to augment searching		AlIFields		100, 400a + d , 500, 046f+g (speksataan vielä tarkemmin)	
source	source of the authority record (i.e. Library of Congress Name Authority File, Local System, etc.)			control->maintenanceAgency->agencyName	39	
institution	institution controlling authority record; potentially useful for faceting. <i>Added in release 5.0.</i>	Yes		control->maintenanceAgency->agencyName		RecordSource/ SourceName
record_type	type of authority record (i.e. Personal Name, Corporate Name, etc.)	yes		cpfDescription->identity->entityType		
lcn	Library of Congress card number for authority record		AlIFields			
heading	Primary legal heading for authority record (i.e. 1XX field)	yes	author	identity/nameEntry/part	100a 110a+b	CAgentName/ PersonName TAI Corporate Name

use_for	Variant names for authority record (i.e. 4XX fields)	yes	AI IF ie lds	cpfDescription- >identity- >nameEntryParallel (@localType)	400a 410a+b kokoukset 411a (puuttuu toistaiseksi)	CAgentName/ PersonName (PersonNameType IS 00)
see_also	Related authority records (i.e. 5XX fields), other identities	yes	AI IF ie lds	relations/cpfRelation /relationEntry (OR resourceRelation OR functionRelation)	500a, 510a kokoukset 511a (puuttuu toistaiseksi)	
scope_note	Scope note	-	-			
heading_keywords	Copy-fielded versions of heading / use_for / see_also used in full-text searching			identity/nameEntry /part	100a 110a+b	CAgentName/ PersonName TAI Corporate Name
use_for_keywords						
see_also_keywords						
birth_date	Fields for storing data added in RDA to describe people; used primarily for faceting.		AI IF ie lds	cpfDescription- >description- >existDates->dateSet- >date	046f	AgentDate/ AgentDateEventType/ Date
death_date			AI IF ie lds	cpfDescription- >description- >existDates->dateSet- >date	046g	AgentDate/ AgentDateEventType/ Date
birth_place			AI IF ie lds	cpfDescription /description/places /place KATSO attribuutit	370a	AgentPlace/ AgentPlaceAssociationType/ LocationName
death_place			AI IF ie lds	cpfDescription /description/places /place	370b	AgentPlace/ AgentPlaceAssociationType/ LocationName
country			AI IF ie lds	cpfDescription /description/places /place	370c	AgentPlace/ AgentPlaceAssociationType/ CountryCoded

related_place			AI IF ie lds	cpfDescription /description/places /place	511c (puuttuu toistaiseksi)	AgentPlace/ AgentPlaceAssociationType LocationName
field_of_activity			AI IF ie lds	cpfDescription /description /functions-/function	372a	
occupation_facet		yes	AI IF ie lds	cpfDescription /description /occupations /occupation	374a	ProfessionalAffiliation/ ProfessionalPosition
occupation			AI IF ie lds			
gender					375	
language				NYT tietueissa: cpfDescription /identity /nameEntry@lang PITÄISI OLLA: control /languageDeclaration /language /@languageCode "kolmikirjaiminen standardi"	08	
first_indexed	Index dates used for tracking record changes					
last_indexed						

Links to Format Schemes

EAC-CPF-formaatti: [EAC-CPF scheme](#)

Forward-standardi: [Agent+Work Information for FORWARD.pdf](#)

MARC 21: [MARC 21 authority rules](#)